



Battery Operated Pallet Trucks

2t Model MP20

- Improved productivity
- Compact design
- Advanced features
- Lower cost of ownership

Battery Operated Pallet Trucks

2t Model MP20

Features

- Creep speed 'Turtle' button
- Three user-selectable performance modes
- Impact-resistant, ergonomically designed, mid-mount control handle with cushioned return spring
- Hour meter and battery discharge indicator with lift-interrupt
- Automatic speed reduction when cornering for high speed version
- Skid plates on fork tips
- 24 Volt, AC traction control
- Tandem load wheels with 1150mm fork length
- Battery compartment 218mm - battery size L x W x H (750 x 170 x 534)
- 550mm / 685mm fork spread
- Lift motor time-out at full height
- Operating temperatures: 0 to 49°C
- Flush pallet stop
- Electromagnetic park brake with service override
- Regenerative braking
- Mold-on polyurethane drive tyre (Ø 230x75)
- Adjustable casters (Ø 125x40)
- Direction reversing switch



Model	MP20
Type	Electric
Capacity	2000kg @ 600mm LC
Operation	Pedestrian / stand
Fork dimension	54 x 180 x 1150mm
Fork width	550mm / 685mm
Fork length	1150mm
Lift height	120mm
Lowered height	82mm
Overall length (Pedestrian / stand)	1760 / 2187mm
Travel speed with / without load (Pedestrian / stand)	7 / 7.1 km/hr
Turning radius (Pedestrian / stand)	1600 / 2050mm
Unladen weight (with battery)	720kg
Service brake	Electric
Wheel base type	Tandem load wheels
Wheelbase	1261mm
Ground clearance centre of wheelbase	28mm
Tyres	Polyurethane
Drive / hydraulics	AC
Battery voltage / capacity	24V / 210Ah
Battery extraction	Vertical / Sideways

For enquiries, contact:



ElectroMech **Yale**

Corporate Office & Plant

**ElectroMech Material Handling
Systems (India) Pvt. Ltd.**


Gat No. 316, At post Kasar Amboli,
Tal. Mulshi, Dist. Pune 412 111 INDIA

Telefax : +91-20-6654 2222

E-mail : yale@emech.in

Yale Asia Pacific

Address: 1 Bullecourt Ave, Milperra NSW 2214, Australia
www.yale.com

Yale is a registered trademark. *People. Products. Productivity.* is a trademark in the United States and certain other jurisdictions.  is a registered copyright of Yale Materials Handling Corporation.

© Yale Asia Pacific 2013. All rights reserved.

Specifications and details in this brochure are subject to change without prior notification.



www.emech.yale.in